

SigCaptX - Installation Options

- Installers
 - EXE Installer UI
 - Installation
 - Command Line Installation
 - Example

EXE Installer

UI Installation

- click the “Options” button to enter or browse to the Firefox portable folder

Command Line Installation

Run SigCaptX .exe from a command prompt with options:

- FFP = <path to Firefox portable folder>
- DRIVER = 0 (to disable driver installation)
- DRIVER =1 (default) to install STU driver
- NO_STU_CHECK = 0 (default) to check that there is no STU plugged in before installing driver NO_STU_CHECK = 1 to disable the STU check

A number of options can also be passed to the embedded Signature SDK MSI installer. The values used by default are shown below and could be changed if required:

- To include/preselect Java components: JAVA=1 (default=not defined)
- To add 32-bit component folders to system PATH: ADDPATH=Win32 (default=not defined)
- To exclude Windows shortcuts and utilities: MINIMAL=1 (default =1)

Example

To install the Signature SDK, SigCaptX and the STU driver silently with no check for connected STUs and enable SigCaptX for 64-bit Firefox:

```
Wacom-SigCaptX-x.xx.x.exe /q FF64=1 NO_STU_CHECK=1 DRIVER=1
```

To install the Signature SDK, SigCaptX and the STU driver, enable SigCaptX for Portable Firefox, include Java components and add the 32-bit component folders to the system PATH:

```
Wacom-SigCaptX-x.xx.x.exe FFP="C:\Program Files (x86)\PortableFirefox" DRIVER=1  
JAVA=1 ADDPATH=Win32
```
